

## **Text Book**

1) Toyota, T. (2009): Application of remote sensing to the estimation of sea ice thickness distribution. In "Advances in Geoscience and Remote Sensing", Jedlovec,G.(Ed.), pp.21-44, In-Teh, ISBN: 978-953-307-005-6, Vienna, Austria.

## **Journal papers**

- 1) F. Miyamaru, Y. Saito, M. W. Takeda, L. Liu, B. Hou, W. Wen, and P. Sheng, 2009 : Emission of terahertz radiations from fractal antennas, Applied Physics Letters, 95, 221111, doi:10.1063/1.3271181
- 2) JAKKILA Juho, LEPPÄRANTA Matti, KAWAMURA Toshiyuki, SHIRASAWA Kunio, SALONEN Kalevi, 2009 : Radiation transfer and heat budget during the ice season in Lake Pääjärvi, Finland, Aquatic Ecology, 43(3), 681-692, doi:10.1007/s10452-009-9275-2
- 3) Yasunari J. Teppei, and Yamazaki Koji, 2009 : Impact of Asian dust storm associated with the stratosphere-troposphere transport in the spring of 2001 and 2002 on dust and tritium variations in Mount Wrangell ice core, Alaska, Atmospheric Environment, 43, 2582-2590, 10.1016/j.atmosenv.2009.02.025
- 4) Ishida, K. and Ohshima K. I. ,2009 : Ice band characteristics of Antarctic seasonal ice zone observed using MOS MESSR images, Atmosphere-Ocean,47,doi:10.3137/OC300.2009
- 5) L. Cao, M. Eby, A. Ridgwell, K. Caldeira, D. Archer, A. Ishida, F. Joos, K. Matsumoto, U. Mikolajewicz, A. Mouchet, J. C. Orr, G.-K. Plattner, R. Schlitzer, K. Tokos, I. Totterdell, T. Tschumi, Y. Yamanaka, A. Yool,2009 : The importance of ocean transport in the fate of anthropogenic CO<sub>2</sub>, Biogeosciences, 6, 375-390
- 6) Kurahashi-Nakamura, T., Abe-Ouchi, A., Yamanaka, Y., 2009 : Effects of physical changes in the ocean on the atmospheric pCO<sub>2</sub>: glacial-interglacial cycles, Climate Dynamics,DOI: 10.1007/s00382-009-0609-5
- 7) Fukamachi, Y., Shirasawa, K., Polomoshnov, A. M., Ohshima, K. I.,Kalinin, E., Nihashi, S.,Melling, H., Mizuta, G., and Wakatsuchi, M.,2009 : Direct observations of sea-ice thickness and brine rejection off Sakhalin in the Sea of Okhotsk, Continental Shelf Research, 29(11-12), 1541-1548, doi:10.1016/j.csr.2009.04.005
- 8) NOMURA Daiki, TAKATSUKA Toru, ISHIKAWA Masao, KAWAMURA Toshiyuki, SHIRASAWA Kunio, YOSHIKAWA-INOUE Hisayuki,2009 : Transport of chemical components in sea ice and under-ice water during melting in the seasonally ice-covered Saroma-ko Lagoon,Hokkaido,Japan Estuarine, Coastal and Shelf Science, 81, 201-209, doi:10.1016/j.ecss.2008.10.012

- 9) S. L. Smith, N. Yoshie, Y. Yamanaka, 2009 : Physiological acclimation by phytoplankton explains observed changes in Si and N uptake rates during the SERIES iron-enrichment experiment, Deep Sea Research I, 57, 394-408, doi:10.1016/j.ecolmodel.2006.09.016
- 10) Matsuda, J., H. Mitsudera, T. Nakamura, K. Uchimoto, T. Nakanowatari, N. Ebuchi, 2009 : Wind and buoyancy driven overturning circulation in the Sea of Okhotsk, Deep-Sea Res. Part I, 56 (9), 1401-1418 doi:10.1016/j.dsr.2009.04.014
- 11) SHIRASAWA Kunio, EICKEN Hajo, TATEYAMA Kazutaka, TAKATSUKA Toru, KAWAMURA Toshiyuki, 2009 : Sea ice thickness variability in the Chukchi Sea, spring and summer 2002-2004, Deep-Sea Research PartII, 56(17), 1182-1200,doi:10.1016/j.dsr2.2008.10.015
- 12) Sumata, H., Minobe, S., Motoi T., Chan, W.-L., 2009 : A semi-analytical model of barotropic and baroclinic flows for an open Panama Gateway, Dynamics of Atmospheres and Oceans , doi:10.1016/j.dynatmoce.2009.10.001
- 13) Yamamoto, A., Y. Yamanaka, E. Tajika, 2009 : Modeling of methane bubbles released from sea-floor gas hydrate: Condition required for methane emission to the atmosphere, Earth and Planetary Science Letters, 284, 590-598, doi:10.1016/j.ecolmodel.2006.09.016
- 14) Misumi, K., Y. Yamanaka, E. Tajika, 2009 : Numerical simulation of atmospheric and oceanic biogeochemical cycles to an episodic CO<sub>2</sub> release event: implications for the cause of mid-Cretaceous Ocean Anoxic Event-1a, Earth and Planetary Science Letters, 286, 316-323, doi:10.1016/j.epsl.2009.06.045
- 15) T. Okunishi, Y. Yamanaka, S. Ito, 2009 : A simulation model for Japanese sardine (*Sardinops melanostictus*) migrations in the western North Pacific, Ecological Modeling. 220, 462-479, doi:10.1016/j.ecolmodel.2008.10.020.
- 16) Kitauchi, H., and M. Ikeda, 2009 : An analytic solution of steady Stokes flow on a rotating polar cap, Fluid Dynamics Res., 41, 045505
- 17) Wang, J., J. Zhang, E. Watanabe, M. Ikeda, K. Mizobata, J.E. Walsh, X. Bai and B. Wu, Is the dipole anomaly a major driver to record lows in Arctic summer sea ice extent?, Geophys. Res. Lett., 36, doi:10.1029/2008GL036706
- 18) Nakamura T., Y. Isoda, H. Mitsudera, S. Takagi, M. Nagasawa, 2009 : Breaking of unsteady lee waves generated by diurnal tides, Geophys. Res. Lett., 37, L04602, 10.1029/2009GL041456
- 19) Hashioka, T., T. T. Sakamoto, Y. Yamanak, 2009 : Potential impact of global warming on spring bloom projected by an eddy-permitting 3-D ecosystem model, Geophysical Research Letter, 36, L20604, doi:10.1029/2009GL038912
- 20) Oka, A., H. Hasumi, H. Obata, T. Gamo, Y. Yamanaka, 2009 : Study on vertical

- profiles of rare earth elements by using an ocean general circulation model, *Global Biogeochemical Cycles*, 23, GB4025, doi:10.1029/2008GB003353
- 21) Ito S., K. A. Rose, A. J. Miller, K. Drinkwater, K. M. Brander, J. E. Overland, S. Sundby, E. Curchitser, J. W. Hurrell, Y. Yamanak, 2009 : Ocean ecosystem responses to future global change scenarios: A way forward, *Global Change and Marine Ecosystems*(Eds.: A way forward, In: M. Barange, J.G. Field, R.H. Harris, E. Hofmann, R. I. Perry, F. Werner). Oxford University Press, 287-322
- 22) Ikeda, M., 2009 : Mechanisms of the recent sea ice decay in the Arctic Ocean related to the Pacific-to-Atlantic pathway, *Influence of Climate Change on the Changing Arctic and Sub-Arctic Conditions*, Springer, Liege, 161-169
- 23) Y. Masuda, Y. Yamanaka, Y. Sasai, M. Magi, T. Ohsumi.,2009 : Site selection in CO<sub>2</sub> ocean sequestration: dependence of CO<sub>2</sub> injection flux on eddy activity distribution, *International J. Greenhouse Gas Control*, 3, 67-76
- 24) Toyota, T., Nakamura, K., Uto, S. Ohshima, K. I., and Ebuchi, N.,2009: Retrieval of sea ice thickness distribution in the seasonal ice zone from air-borne L-band SAR, *International Journal of Remote Sensing*, 30(12), 3171-3189
- 25) Iijima, Y., Aoki, S., and Kutsuwada, T., 2009 : The Antarctic Oscillation and Southern Ocean sea surface height basin mode, *J. Oceanogr.*, 65 (1), 53-60
- 26) Hiraike, Y., and M. Ikeda, 2009 : Descending surface water at the Antarctic marginal ice zone and its contribution to the Intermediate Water using an ice-ocean model, *J. Oceanogr.*, 65, 587-603
- 27) Nakamura T., T. Toyoda, Y. Ishikawa, and T. Awaji, 2009 : Effects of mass source/sink at the western boundary on the wind-driven gyres: Implications for the ventilation of the North Pacific intermediate layer through convection in the Okhotsk Sea and tidal mixing at the Kuril Straits, *J. Oceanogr.*, Vol. 66, 41-60
- 28) Nakamura T and T. Awaji, 2009 : "Scattering of internal waves with frequency change over rough topography , *J. Phys. Oceanogr.* Vol. 39, 1574-1594
- 29) Tanimoto, Y., S.-P. Xie, K. Kai, H. Okajima, H. Tokinaga, T. Murayama, M. Nonaka, and H. Nakamura, 2009 : Observations of marine atmospheric boundary layer transitions across the summer Kuroshio Extension, *Journal of Climate*, 22, 1360-1374
- 30) Tokinaga, H., Y. Tanimoto, S.-P. Xie, T. Sampe, H. Tomita, and H. Ichikawa,2009 : Ocean frontal effects on the vertical development of clouds over the Northwest Pacific: In situ and satellite observations., *Journal of Climate*, 22, 4241-4260.
- 31) Rodgers, K.B., R.M. Key, A. Gnanadesikan, J.L. Sarmiento, O. Aumont, L. Bopp, S.C. Doney, J.P. Dunne, D.M. Glover, A. Ishida, M. Ishii, A.R. Jacobson, C. Lo Monaco, E. Maier-Reimer,N. Metzl, F. F. Perez, A.F. Rios, R. Wanninkhof, P. Wetzel, C.D. Winn, Y.

- Yamanaka, 2009 : Altimetry helps to explain patchy changes in hydrographic carbon measurement, *Journal of Geophysical Research - Oceans*, 114, C09013
- 32) Fujiwara, M., S. Iwasaki, A. Shimizu, Y. Inai, M. Shiotani, F. Hasebe, I. Matsui, N. Sugimoto, H. Okamoto, N. Nishi, A. Hamada, T. Sakazaki, and K. Yoneyama , 2009 : Cirrus observations in the tropical tropopause layer over the western Pacific, *Journal of Geophysical Research*, 114, D09304, doi:10.1029/2008JD011040
- 33) Kawaguchi and H. Mitsudera, 2009 : Effects of along-shore wind on DSW formation beneath coastal polynyas: Application to the Sea of Okhotsk, 2009 : *J. Geophysical Research*, 114, C10013, 10.1029/2008JC005041
- 34) Nihashi, S., Ohshima, K. I., Tamura, T., Fukamachi,Y., and Saitoh, S.,2009 : Thickness and production of sea ice in the Okhotsk Sea coastal polynyas from AMSR-E, *Journal of Geophysical Research - Oceans*, 114, C10025, doi:10.1029/2008JC005222
- 35) Horinouchi, T. and T. Tsuda, 2009 : Spatial structures and statistics of atmospheric gravity waves derived using a heuristic vertical cross-section extraction from COSMIC GPS radio occultation data, *Journal of Geophysical Research*, 114, D16110
- 36) Udagawa Yuhsuke, Tachibana Yoshihiro, and Yamazaki Koji, 2009 : Modulation in interannual sea-ice patterns in the Southern Ocean in association with large-scale atmospheric mode shift, *Journal of Geophysical Research*, 114, D21103.10.1029/2009JDO11807
- 37) Mizuta, G : Rossby wave radiation from an eastward jet and its recirculations, *Journal of Marine Research*, 67, 185-212
- 38) Ebuchi, N., Fukamachi, Y., Ohshima, K.I., and Wakatsuchi, M.,2009 : Subinertial and seasonal and variations in the Soya Warm Current revealed by HF radars, coastal tide gauges, and bottom-mounted ADCP, *Journal of Oceanography*, vol. 65, no. 1, pp. 31-43
- 39) M. O. Chikamoto, K. Matsumoto, Y. Yamanaka, 2009 : Influence of export rain ratio changes on atmospheric CO<sub>2</sub> and sedimentary calcite preservation, *Journal of Oceanography*, 65, 209-221
- 40) Fujisaki, A., Yamaguchi, H., Toyota, T., Futatsudera, A., Miyanaga, A.2009 : Measurements of air-ice drag coefficient over the ice-covered Sea of Okhotsk, *Journal of Oceanography*, Vol.65, No.4, 487-498
- 41) Kusahara, K., Ohshima, K. I.,2009 : Dynamics of the wind-driven sea level variation around Antarctica, *Journal of Physical Oceanography*, 39, 658-674
- 42) Aoki, K., Kubokawa, A., Sasaki,H., and Sasai, Y.2009 : Midlatitude Baroclinic Rossby Waves in a High-Resolution OGCM Simulation., *Journal of Physical Oceanography*, 39, 2264-2279

- 43) Ebuchi, N., 2009 : Evaluation of wind speed observed by AMSR using data from ocean buoys and SeaWinds, Journal of Remote Sensing Society of Japan, vol. 29, no. 1, pp. 174-178
- 44) Sakurai, N., M. Kawashima, Y. Fujiyoshi, H. Hashiguchi, S. Mori, J. Hamada, F. Murata, M-D. Yamanaka, Y-I Tauhid, T. Sribimawati and B. Suhardi, 2009 : structure of migratory cloud systems with diurnal cycle over Sumatera Island during CPEA-I campaign, J. Meteor. Soc. Japan,87(1),15-170
- 45) Sakurai Namiko, Kawashima Masayuki, Fujiyoshi Yasushi, Hashiguchi Hiroyuki, Mori Syuichi, Hamada Hun'ichi, Murata Fumie, Yamanaka D. Manabu, Tauhid Yudi Iman, Sribimawati Tien, Suhardi Budi, 2009 : Internal structure of migratory cloud systems with diurnal cycle over Sumatera Island during CPEA-I campaign, J. Meteor. Soc. Japan,87 (1) ,157–170
- 46) Otake Hideaki, Kawashima Masayuki, Fujiyoshi Yasushi,2009 : The formation mechanism of a thick cloud band over the northern part of the Sea of Japan during clod air outbreaks, J. Meteor. Soc. Japan,87 (2) ,289–306
- 47) Geng Biao, Yamada Hiroyuki, Krishnareddigari Krishna Redddy, Uyeda Hiroshi, and Fujiyoshi Yasushi,2009 : Mesoscale development and along-frontal variation of a Meiyu/Baiu front and precipitation observed in the downstream region of the Yangtze river, J. Meteor. Soc. Japan,87 (3) ,423–457
- 48) Watanabe, T.2009 : LES study on the structure of coherent eddies inducing predominant perturbations in velocities in the roughness sublayer over plant canopies, Journal of the Meteorological Society of Japan, 87, 39-56
- 49) Oshima, K., and Y. Tanimoto, 2009 : An evaluation in reproducibility of Pacific Decadal Oscillation on the simulations of CMIP3 models, Journal of the Meteorological Society of Japan, Vol. 87, 755-770. ,doi:10.2151/jmsj.87.755
- 50) S. L. Smith, Y. Yamanaka, M. Pahlow, A. Oschlies, 2009 : Optimal uptake kinetics: physiological acclimation explains the pattern of nitrate uptake by phytoplankton in the ocean, Marine Ecology Progress Series, 384, 1-12
- 51) Mayewski, P. A., Meredith, M. P., Summerhayes, C. P., Turner, J., Worby, A., Barrett, P. J., Casassa, G., Bartler, N. A. N., Bracegirdle, T., Naveira-Garabato, A. C., Bromwich, D., Campbell, H., Hamilton, G. H., Lyons, W. B., Maasch, K. A., Aoki, S., Xiao ,2009 : State of the Antarctic and Southern Ocean Climate System, Rev. Geophys., 47, RG1003, 10.1029/2007RG000231
- 52) Inai, Y., F. Hasebe, K. Shimizu, and M. Fujiwara, 2009 : Correction of radiosonde pressure and temperature measurements using simultaneous GPS height data,SOLA, 5, 109-112, doi:10.2151/sola.2009-028

- 53) Yasunari J. Teppei, and Yamazaki Koji, 2009 : Origins of air masses over an Alaskan glacier and implications for ice core studies in the North Pacific region,SOLA, 5, 77-80, 10.2151/sola.2009-020
- 54) Toyota, T. (2009): A study on growth processes of sea ice in the southern Sea of Okhotsk, 143pp.,VDM Verlag, ISBN: 978-3-639-19602-3, Saarbrucken, Germany

## **Proceedings**

- 1) Nakanowatari, T., Mitsudera, H., Motoi, T., Ohshima, K. I., and Ishikawa, I. , T., Mitsudera, Ohshima, K. I.,2009 : 50-yr scale change in the intermediate water temperature in the western North Pacific simulated by an eddy resolving sea-ice coupled OGCM, PICES Scientific Rep., 36, 102-106
- 2)NOMURA Daiki, GRADINGER Rolf, EICKEN Hajo, SHIRASAWA Kunio, 2009 : Air-sea ice CO<sub>2</sub> flux over landfast sea ice in the Arctic Ocean, off Barrow, Alaska, Proceedings of the 24th International Symposium on Okhotsk Sea and Sea Ice, Mombetsu, Japan, 15-19 February 2009
- 3) Ohshima. K. I., Nakanowatari, T., Nakatsuka, T., Nishioka, J., and Wakatsuchi, M.,2009 : Changes in the Sea of Okhotsk due to global warming -Weakening pump function to the North Pacific, PICES Scientific Rep., 36, 16-20
- 4) Nihashi, S., and N. Ebuchi, 2009 : Characteristics of the Okhotsk coastal polynyas revealed from active and passive microwave satellite observations, Proceedings of 24th International Symposium on Okhotsk Sea and Sea Ice, pp. 105-108
- 5) Fujiyoshi Yasuhsi, Yamashita Kazuya, and Fujiwara Chusei, 2009 : Detection of organized airflow in the atmospheric boundary layer using a 3D-scanning coherent Doppler lidar, Proc. SPIE, Vol. 7382, 738204, doi:10.1117/12.835943
- 6) Kawaguchi, Y.,Nihashi, S., Mitsudera, F., and Ohshima, K. I.,2009 : Formation of broad opening of coastal polynya, 24th International Symposium on Okhotsk Sea and Sea Ice, Monbetsu, Japan, 88-91
- 7) Ebuchi, N., Fukamachi, Y., Ohshima, K. I., and Wakatsuchi, M.,2009 : HF radar technology in the Sea of Okhotsk, PICES Scientific Report, vol. 36, pp. 197-202
- 8)LEPPÄRANTA M., JAATINEN E., KIILTONÄKI A., JÄRVINEN O., SHIRASAWA K.,2009 : Measurements of light transfer through lake ice cover, Proc. of the 5th Intl. Conference in Optics of Natural Waters, St. Petersburg, Russia, 157-161.
- 9) Granskog, M., Toyota, T., Hattori, H., Nomura, D. and Krell, A.,2009 : Observationson physical properties and biogeochemistry of sea ice in southern Sea of Okhotsk2009 0218 Proceedings of The 24th International Symposium on

Okhotsk Sea and Sea Ice, Mombetsu, Japan, February 16-18, 183-186

10) Toyota, T., Kamimura, H., Ono, S., and Cho, K., 2009 : Retrieval of sea ice thickness distribution in the Sea of Okhotsk from ALOS/PALSAR backscatter data, Proceedings of The 24th International Symposium on Okhotsk Sea and Sea Ice, Mombetsu, Japan, February 16-18, 138-142

11) Mitsudera, H., Matsuda, J., Nakamura, T., Uchimoto, K., Nakanowatari, T., and Ebuchi, N., Uchimoto, K., Nakanowatari, T., 2009 : Wind- and buoyancy-driven overturning circulation in the Sea of Okhotsk, Proceedings of 24th International Symposium on Okhotsk Sea and Sea Ice, pp. 121-124